

[2017 New 100% Free Lead2pass 70-741 New Questions Download (16-30)]

[2017 May Microsoft Official New Released 70-741 Dumps in Lead2pass.com! 100% Free Download! 100% Pass Guaranteed!](#)

Lead2pass is one of the leading exam preparation material providers. Its updated 70-741 braindumps in PDF can ensure most candidates pass the exam without too much effort. If you are struggling for the 70-741 exam, it will be a wise choice that get help from Lead2pass. Following questions and answers are all new published by Microsoft Official Exam Center:

<http://www.lead2pass.com/70-741.html> QUESTION 16 You have an Active Directory domain named Contoso.com. The domain contains servers named Server1 and Server2 that run Windows Server 2016. You install the Remote Access server role on Server1. You install the Network Policy and Access Services server role on Server2. You need to configure Server1 to use Server2 as a RADIUS server. What should you do? A. From the Connection Manager Administration Kit, create a Connection Manager profile. B. From Routing and Remote Access, configure the authentication provider. C. From Active Directory Users and Computers, modify the Delegation settings of the Server1 computer account. D. From Server Manager, create an Access Policy. Answer: D Explanation: <http://www.nyazit.com/configure-network-policy-server-2016/> QUESTION 17 Your company owns the public Internet IP address range of 131.107.20.0 to 131.107.20.255. You need to create a subnet that supports four hosts. The solution must minimize the number of addresses available to the subnet. Which subnet should you use? A. 131.107.20.16/28B. 131.107.20.16/30C. 131.107.20.0/29D. 131.107.20.0 with subnet mask 255.255.255.224 Answer: C Explanation:

<http://jodies.de/ipcalc?host=131.107.20.0&mask1=29&mask2=> QUESTION 18 You have an application named App1. App1 is distributed to multiple Hyper-V virtual machines in a multitenant environment. You need to ensure that the traffic is distributed evenly among the virtual machines that host App1. What should you include in the environment? A. Network Controller and Windows Server Network Load Balancing (NLB) nodes B. an RAS Gateway and Windows Server Software Load Balancing (SLB) nodes C. an RAS Gateway and Windows Server Network Load Balancing (NLB) nodes D. Network Controller and Windows Server Software Load Balancing (SLB) nodes Answer: B Explanation:

[https://technet.microsoft.com/en-us/library/mt403307\(v=ws.11\).aspx#bkmk_slb](https://technet.microsoft.com/en-us/library/mt403307(v=ws.11).aspx#bkmk_slb) QUESTION 19 Your company has 10 offices. Each office has a local network that contains several Hyper-V hosts that run Windows Server 2016. All of the offices are connected by high speed, low latency WAN links. You need to ensure that you can use QoS policies for Live Migration traffic between the offices. Which component should you install? A. the Data Center Bridging feature B. the Routing role service C. the Network Controller server role D. the Multipath I/O feature E. the Canary Network Diagnostics feature Answer: D Explanation:

[https://technet.microsoft.com/en-us/library/jj735302\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/jj735302(v=ws.11).aspx) QUESTION 20 You have a server that is configured as a hosted BranchCache server. You discover that a Service Connection Point (SCP) is missing for the BranchCache server. What should you run to register the SCP? A. setspn.exe B. Reset-BCC. ntdsutl.exe D. Enable-BCHostedServer Answer: D Explanation:

[https://technet.microsoft.com/en-us/library/jj862376\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/jj862376(v=ws.11).aspx) QUESTION 21 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a DHCP server named Server1 that has an IPv4 scope named Scope1. Users report that when they turn on their client computers, it takes a long time to access the network. You validate that it takes a long time for the computers to receive an IP address from Server1. You monitor the network traffic and discover that Server1 issues five ping commands on the network before leasing an IP address. You need to reduce the amount of time it takes for the computers to receive an IP address. What should you do? A. From the properties of Scope1, modify the Conflict detection attempts setting. B. From the properties of Scope1, configure Name Protection. C. From the properties of IPv4, configure the bindings. D. From IPv4, create a new filter. E. From the properties of Scope1, create an exclusion range. F. From IPv4, run the DHCP Policy Configuration Wizard. G. From Control Panel, modify the properties of Ethernet. H. From Scope1, create a reservation. Answer: A Explanation:

[https://technet.microsoft.com/en-us/library/ee941125\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/ee941125(v=ws.10).aspx) QUESTION 22 Your network contains an Active Directory forest named contoso.com. The functional level of the forest is Windows Server 2012. The forest contains five domain controllers and five VPN servers that run Windows Server 2016. Five hundred users connect to the VPN servers daily. You need to configure a new server named Server1 as a RADIUS server. What should you do first? A. On Server1, deploy the Remote Access server role. B. On Server1, deploy the Network Policy and Access Services role. C. On a domain controller, set the forest functional level to Windows Server 2016. D. On each VPN server, run the New-NpsRadiusClient cmdlet. Answer: B Explanation:

<http://www.nyazit.com/configure-network-policy-server-2016/> QUESTION 23 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this

sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a DHCP server named Server2 than runs Windows Server 2016. Users report that their client computers fail to obtain an IP address. You open the DHCP console as shown in the Exhibit.

(Click the Exhibit button.) Scope1 has an address range of 172.16.0.10 to 172.16.0.100 and a prefix length of 23 bits. You need to ensure that all of the client computers on the network can obtain an IP address from Server2. Solution: You run the Reconcile-DhcpServerv4IPRecord cmdlet. Does this meet the goal? A. Yes B. No Answer: B Explanation:

<https://technet.microsoft.com/itpro/powershell/windows/dhcp-server/set-dhcpserverv4scope> QUESTION 24 You have two Hyper-V hosts named Server1 and Server2 that run Windows Server 2016. Server1 and Server2 are connected to the same network. On Server1 and Server2, you create an external network switch named Switch1. You have the virtual machine shown in the following table. All three virtual machines are connected to Switch1. You need to prevent applications in VM3 from being able to capture network traffic from VM1 or VM2. The solution must ensure that VM1 retains network connectivity. What should you do? A.

Configure network virtualization for VM1 and VM2. B. Modify the subnet mask of VM1 and VM2. C. On Server2, configure the VLAN ID setting of Switch1. D. On Server2, create an external switch and connect VM3 to the switch. Answer: A Explanation:

<https://blogs.technet.microsoft.com/networking/2016/10/26/network-virtualization-with-ws2016-sdn/> QUESTION 25 You have a server named Server1 that runs Windows Server 2016. Server1 is a Hyper-V host that hosts a virtual machine named VM1. Server1 has three network adapter cards that are connected to virtual switches named vSwitch1, vSwitch2 and vSwitch3. You configure NIC Teaming on VM1 as shown in the exhibit. (Click the Exhibit button.) You need to ensure that VM1 will retain access to the network if a physical network adapter card fails on Server1. What should you do? A. From Windows PowerShell on VM1, run the Set-VmNetworkAdapterTeamMapping cmdlet. B. From Hyper-V Manager on Server1, modify the settings on VM1. C. From Windows PowerShell on Server1, run the Set-VmNetworkAdapterFailoverConfiguration cmdlet. D. From the properties of the NIC team on VM1, add the adapter named Ethernet to the NIC team. Answer: D Explanation:

<https://technet.microsoft.com/en-us/windows-server-docs/networking/technologies/nic-teaming/nic-teaming> QUESTION 26 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a DHCP server named Server1 that has three network cards. Each network card is configured to use a static IP address. You need to prevent all client computers that have physical address beginning with 98-5F from leasing an IP address from Server1. What should you do? A. From the properties of Scope1, modify the Conflict detection attempts setting. B. From the properties of Scope1, configure Name Protection. C. From the properties of IPv4, configure the bindings. D. From IPv4, create a new filter. E. From the properties of Scope1, create an exclusion range. F. From IPv4, run the DHCP Policy Configuration Wizard. G. From Control Panel, modify the properties of Ethernet. H. From Scope1, create a reservation. Answer: E Explanation:

[https://technet.microsoft.com/en-us/library/ee941125\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/ee941125(v=ws.10).aspx) QUESTION 27 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a DHCP server named Server1. All client computers run Windows 10 and are configured as DHCP clients. Your helpdesk received calls today from users who failed to access the network from their Windows 10 computer. You open the DHCP console as shown in the exhibit. (Click the Exhibit button.) You need to ensure that all of the Windows 10 computers can receive a DHCP lease. Solution: You increase the scope size. Does this meet the goal? A. Yes B. No Answer: B Explanation:

[https://technet.microsoft.com/en-us/library/dd183581\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd183581(v=ws.10).aspx) QUESTION 28 Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Your network contains an Active Directory domain named contoso.com. The functional level of the domain is Windows Server 2012. The network uses an address space of 192.168.0.0/16 and contains multiple subnets. The network is not connected to the Internet. The domain contains three servers configured as shown in the following table. Client computers obtain TCP/IP settings from Server3. You add a second network adapter to Server2. You connect the new network adapter to the Internet. You install the Routing role service on Server2. Server1 has four DNS zones configured as shown in the following table. You need to ensure that when a computer is removed from the network, the associated records are deleted automatically after 15 days. Which two actions should you perform? Each correct answer presents part of the solution. A. Create a scheduled task that runs the Remove-Computer cmdlet. B. Modify the Zone Aging/Scavenging Properties of the zone. C. Modify the Time to live (TTL) value of the start of authority (SOA)

record.D. Set the Scavenging period of Server1.E. Modify the Expires after value of the start of authority (SOA) record. Answer: B
Explanation: [https://technet.microsoft.com/en-us/library/cc771362\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc771362(v=ws.10).aspx) QUESTION 29 You have a server named Server1 that runs Windows Server 2016. Server1 has the following routing table. What will occur when Server1 attempts to connect to a host that has an IP address of 172.20.10.50? A. Server1 will attempt to connect directly to 172.20.10.50. B. Server1 will route the connection to 10.10.0.2. C. Server1 will silently drop the connection attempt. D. Server1 will route the connection to 192.168.2.1. Answer: D
Explanation: <http://www.techrepublic.com/article/understanding-routing-tables/> QUESTION 30 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016 and has the DNS Server role installed. Automatic scavenging of state records is enabled and the scavenging period is set to 10 days. All client computers dynamically register their names in the contoso.com DNS zone on Server1. You discover that the names of multiple client computers that were removed from the network several weeks ago can still be resolved. You need to configure Server1 to automatically remove the records of the client computers that have been offline for more than 10 days. Solution: You set the Time to live (TTL) value of all of the records in the zone. Does this meet the goal? A. Yes B. No Answer: B
Explanation: <https://technet.microsoft.com/en-us/library/cc958972.aspx> There is no doubt that Lead2pass is the top IT certificate exam material provider. All the braindumps are the latest and tested by senior Microsoft lecturers and experts. Get the 70-741 exam braindumps in Lead2pass, and there would be no suspense to pass the exam. 70-741 new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDOUxvX1RiWWt1b0E> 2017 Microsoft 70-741 exam dumps (All 63 Q&As) from Lead2pass: <http://www.lead2pass.com/70-741.html> [100% Exam Pass Guaranteed]