

[2017 New Ensure Pass 70-740 Exam With Lead2pass New 70-740 Brain Dumps (1-20)]

2017 May Microsoft Official New Released 70-740 Q&As in Lead2pass.com!] 100% Free Download! 100% Pass Guaranteed!

How to pass 70-740 exam easily? Are you struggling for the 70-740 exam? Good news, Lead2pass Microsoft technical experts have collected all the questions and answers which are updated to cover the knowledge points and enhance candidates' abilities. We offer the latest 70-740 PDF and VCE dumps with new version VCE player for free download, and the new 70-740 dump ensures your 70-740 exam 100% pass. Following questions and answers are all new published by **Microsoft** Official Exam Center:

<http://www.lead2pass.com/70-740.html> QUESTION 1 You have a server named Server1 that runs Windows Server 2016 and has the Hyper-V server role installed. On Server1, you plan to create a virtual machine named VM1. You need to ensure that you can start VM1 from the network. What are two possible ways to achieve the goal? Each correct answer presents a complete solution. A. Create a generation 2 virtual machine. B. Create a generation 1 virtual machine and run the Enable-NetAdapterPackageDirect cmdlet. C. Create a generation 1 virtual machine that has a legacy network adapter. D. Create a generation 1 virtual machine and configure a single root I/O virtualization (SRV-IO) interface for the network adapter. Answer: AC Explanation: To boot a virtual machine from the network, it must be generation 2 VM, or Generation 1 VM connected to legacy network adapter. QUESTION 2 Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a Hyper-V host named Server1 that runs Windows Server 2016. Server1 has a dynamically expanding virtual hard disk (VHD) file that is 900 GB. The VHD contains 400 GB of free space. You need to reduce the amount of disk space used by the VHD. What should you run? A. the Mount-VHD cmdlet B. the Diskpart command C. the Set-VHD cmdlet D. the Set-VM cmdlet E. the Set-VMHost cmdlet F. the Set-VMProcessor cmdlet G. the Install-WindowsFeature cmdlet H. the Optimize-VHD cmdlet Answer: H QUESTION 3 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. Your network contains an Active Directory forest. You install Windows Server 2016 on 10 virtual machines. You need to deploy the Web Server (IIS) server role identically to the virtual machines. Solution: You use Windows PowerShell Desired State Configuration (DSC) to create a default configuration and then you apply the configuration to the virtual machines. Does this meet the goal? A. Yes B. No Answer: A QUESTION 4 You have a Nano Server named Nano1. Which cmdlet should you use to identify whether the DNS Server role is installed on Nano1? A. Find-NanoServerPackage B. Get-Package C. Find-Package D. Get-WindowsOptionalFeature Answer: B QUESTION 5 In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2. Contoso.com has the following configuration: You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration. You need to configure Active Directory to support the planned deployment. Solution: You raise the domain functional level to Windows Server 2012 R2. Does this meet the goal? A. Yes B. No Answer: B QUESTION 6 You are configuring a Windows Server 2016 failover cluster in a workgroup. Before installing one of the nodes, you run the ipconfig /all command and receive the following output: You need to ensure that Server1 can be added as a node in the cluster. What should you do? A. Assign a static IP address B. Change the Node Type to Broadcast C. Configure a DNS suffix D. Enable NetBIOS over TCP/IP Answer: C QUESTION 7 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are a server administrator at a company named Contoso, Ltd. Contoso has a Windows Server 2016 Hyper-V environment configured as shown in the following table. All of the virtual switches are of the external type. You need to ensure that you can move virtual machines between the hosts without causing the virtual machines to disconnect from the network. Solution: You implement a Hyper-V Replica between Host2 and Host4. Does this meet the goal? A. Yes B. No Answer: B Explanation: To meet the goal, you must use Live Migration. HyperV replica will

cause the host to disconnect from the network. To use Live Migration, hosts must be connected to the same VSwitch and have the same brand of processor. QUESTION 8 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have two servers that run Windows Server 2016. You plan to create a Network load Balancing (NLB) cluster that will contain both servers. You need to configure the network cards on the servers for the planned NLB configuration. Solution: You configure the network cards to be on the same subnet and to have dynamic IP addresses. You configure the cluster to use multicast. Does this meet the goal? A. Yes B. No Answer: B Explanation: To use Network Load Balancing, dynamic IP (DHCP) is not supported. IP must be statically assigned. All hosts must be configured to use unicast or multicast, but not both. All hosts must also be on the same subnet. QUESTION 9 You have a server named Server1 that runs Windows Server 2016. You need to configure Server1 as a multitenant RAS Gateway. What should you install on Server1? A. the Network Policy and Access Services server role B. the Remote Access server role C. the Data Center Bridging feature D. the Network Controller server role Answer: B QUESTION 10 In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2. Contoso.com has the following configuration: You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration. You need to configure Active Directory to support the planned deployment. Solution: You raise the forest functional level to Windows Server 2012 R2. Does this meet the goal? A. Yes B. No Answer: B Explanation: The Forest Functional Level cannot be raised higher than the Domain Functional Level. QUESTION 11 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are a server administrator at a company named Contoso, Ltd. Contoso has a Windows Server 2016 Hyper-V environment configured as shown in the following table. All of the virtual switches are of the external type. You need to ensure that you can move virtual machines between the hosts without causing the virtual machines to disconnect from the network. Solution: You implement live migration by using Host3 and Host4. Does this meet the goal? A. Yes B. No Answer: B Explanation: Virtual switches must match for Live Migration. QUESTION 12 You need to ensure that VM1 and VM2 can communicate with each other only. The solution must prevent VM1 and VM2 from communicating with Server1. Which cmdlet should you use? A. Set-NetNeighbor B. Remove-VMSwitchTeamMember C. Set-VMSwitch D. Enable-VMSwitchExtension Answer: C QUESTION 13 You have a Windows Server 2016 Hyper-V failover cluster that contains two nodes named Node1 and Node2. On Node1, you create a virtual machine named VM01 by using Hyper-V Manager. You need to configure VM01 to move to Node2 automatically if Node1 becomes unavailable. What should you do? A. From Failover Cluster manager, run the configure Role actions. B. From Hyper-V Manager, click VM01 and click Enable Replication. C. From Hyper-V Manager Click Node 1 and the modify the hyper-V settings. D. From Windows Powershell, run the Enable-VMReplication cmdlet. Answer: A Explanation: Automatic failover in a cluster is configured from Failover Cluster Manager. QUESTION 14 You have a server named Server1 that runs Windows Server 2016. Server1 will be used as a VPN server. You need to configure Server1 to support VPN Reconnect. Which VPN protocol should you use? A. PPTP B. L2TP C. SSTP D. IKEv2 Answer: D QUESTION 15 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. You have a server named Server1 that runs Windows Server 2016. Server1 hosts a line-of-business application named App1. App1 has a memory leak that occasionally causes the application to consume an excessive amount of memory. You need to log an event in the Application event log whenever App1 consumes more than 4 GB of memory. Solution: You create a system configuration information data collector. Does this meet the goal? A. Yes B. No Answer: B QUESTION 16 You have a server named Server1 that runs Windows Server 2016. You install the Docker daemon on Server1. You need to configure the Docker daemon to accept connections only on TCP port 64500. What should you do? A. Run the New-NetFirewallRule cmdlet B. Run the Set-Service Windows PowerShell cmdlet C. Edit the daemon.json file D. Edit the configuration.json file Answer: C

QUESTION 17Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have two servers that run Windows Server 2016. You plan to create a Network Load Balancing (NLB) cluster that will contain both servers. You need to configure the network cards on the servers for the planned NLB configuration. Solution: You configure the network cards to be on the same subnet and to have static IP addresses. You configure the cluster to use unicast. Does this meet the goal? A. Yes B. No Answer: A

QUESTION 18You have a Hyper-V host named Server1 that runs Windows Server 2016. Server1 contains four virtual machines that are configured as shown in the following table. To which machine or machines can you connect by using Virtual Machine Connection from Hyper-V Manager? A. VM1, VM2, VM3 and VM4 B. VM4 only C. VM1 and VM2 only D. VM3 and VM4 only E. VM2 only Answer: D

Explanation: Virtual Machine Connection cannot be used to connect to Shielded Virtual Machines.

QUESTION 19Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have two servers named Server1 and Server2 that run Windows Server 2016. Server1 and Server2 have the Hyper-V server role installed. An iSCSI SAN connects to the network. You create a LUN on the SAN and configure both servers to connect to the iSCSI target. You create a failover cluster and add Server1 and Server2 to the cluster. You connect both servers to the iSCSI target and format the shared storage. You need to add the shared storage to the cluster. The solution must ensure that virtual machines running on both nodes can access the shared storage simultaneously. Which tool should you use? A. the clussvc.exe command B. the cluster.exe command C. the Computer Management console D. the configurehyperv.exe command E. the Disk Management console F. the Failover Cluster Manager console G. the Hyper-V Manager console H. the Server Manager Desktop app Answer: F

QUESTION 20Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are a server administrator at a company named Contoso, Ltd. Contoso has a Windows Server 2016 Hyper-V environment configured as shown in the following table. All of the virtual switches are of the external type. You need to ensure that you can move virtual machines between the hosts without causing the virtual machines to disconnect from the network. Solution: You implement live migration by using Host1 and Host2. Does this meet the goal? A. Yes B. No Answer: B

Lead2pass Microsoft 70-740 exam dumps are audited by our certified subject matter experts and published authors for development. Lead2pass Microsoft 70-740 exam dumps are one of the highest quality Microsoft 70-740 Q&As in the world. It covers nearly 96% real questions and answers, including the entire testing scope. Lead2pass guarantees you pass Microsoft 70-740 exam at first attempt. 70-740 new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDTzFiNkZZMGowWWs> 2017 Microsoft 70-740 exam dumps (All 113 Q&As) from Lead2pass: <http://www.lead2pass.com/70-740.html> [100% Exam Pass Guaranteed!!!]