


Microsoft 70-410 Exam Questions & Practice Test - Free Download (91-100)

QUESTION 91 You work as an administrator at L2P.com. The L2P.com network consists of a single domain named L2P.com. All servers on the L2P.com network have Windows Server 2008 R2 installed. Some of L2P.com's workstations have Windows 7 installed, while the rest have Windows 8 installed. After installing a new Windows Server 2012 computer in the L2P.com domain, you configure it to run the File and Storage Services server role. You are instructed to create a shared folder on the new server, and configure the use of Previous Versions for restoring files located in the shared folder. Which of the following actions should you take? A. You should consider configuring the Shadow Copies settings on the new server. B. You should consider configuring the Snapshot settings on the new server. C. You should consider configuring the Background Copy settings on the new server. D. You should consider configuring the Permission settings on the new server. **Answer: A** **Explanation:** What are previous versions? Previous versions are either backup copies (copies of files and folders that you back up by using the Back Up Files wizard, or shadow copies) copies of files and folders that Windows automatically saves as part of a restore point. (Shadow copies can be copies of files on your computer or shared files on a computer on a network.) You can use previous versions of files to restore files that you accidentally modified or deleted, or that were damaged. Depending on the type of file or folder, you can open, save to a different location, or restore a previous version. **ATT:** (nothing to do with question but cool to know) File Server Volume Copy Shadow Service (VSS) Agent Service Enables consistency of application snapshots (shadow copies). With previous versions of Windows Server, VSS only supported shadow copies of data on the local server. With WS2012, Microsoft has added VSS for SMB File Shares which extends shadow copy support for network volumes. Administrators install the FS VSS Agent on the file server where the application data is located. They then install the VSS provider in the server where the application is located. The provider talks to the agent using the new File Server Remote VSS protocol in order to manage the shadow copies of the data.


<http://windows.microsoft.com/en-gb/windows-vista/previous-versions-of-files-frequently-asked-questions> **QUESTION 92** Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server2 runs Windows Server 2012 R2. You create a security template named Template 1 by using the Security Templates snap-in. You need to apply template 1 to Server 2. Which tool should you use? A. Security Templates. B. Computer Management. C. Security Configuration and Analysis. D. System Configuration. **Answer: C** **Explanation:** Security templates are inactive until imported into a Group Policy object or the Security Configuration and Analysis.



<http://technet.microsoft.com/en-us/library/jj730960.aspx>

<http://windows.microsoft.com/en-us/windows-vista/using-system-configuration> **QUESTION 93** Your network contains an active directory domain named contoso.com. The domain contains a domain controller named DCS. DCS has a server core installation of windows server 2012. You need to uninstall Active Directory from DCS manually. Which tool should you use? A. The Remove-WindowsFeature cmdlet. B. the dsain.exe command. C. the ntdsutil.exe command. D. the Remove-ADComputer cmdlet. **Answer: C** **Explanation:** A. Removes Roles and Features to remove DC use Uninstall-addsdomaincontroller B. Exposes Active Directory data that is stored in a snapshot or backup as a Lightweight Directory Access Protocol (LDAP) server C. Manually removes a domain controller D. Removes AD computer object <http://technet.microsoft.com/en-us/library/ee662310.aspx>

<http://support.microsoft.com/kb/216498> <http://technet.microsoft.com/en-us/library/ee617250.aspx> **QUESTION 94** You have a server named Server 2 that runs Windows Server 2012 R2. Server 2 has the Hyper-V server role installed. The disks on Server2 are configured as shown in the exhibit. (Click the Exhibit button). You create a virtual machine on Server2 named VM1. You need to ensure that you can configure a pass-through disk for VM1. What should you do?



A. Convert Disk 1 to a MBR disk.B. Convert Disk 1 to a basic disk.C. Take Disk 1 offline.D. Create a partition on Disk 1.

Answer: C
Explanation: Pass-through Disk Configuration Hyper-V allows virtual machines to access storage mapped directly to the Hyper-V server without requiring the volume be configured. The storage can either be a physical disk internal to the Hyper-V server or it can be a Storage Area Network (SAN) Logical Unit (LUN) mapped to the Hyper-V server. To ensure the Guest has exclusive access to the storage, it must be placed in an Offline state from the Hyper-V server perspective

<http://blogs.technet.com/b/askcore/archive/2008/10/24/configuring-pass-through-disks-in-hyper-v.aspx> QUESTION 95 You have a file server named Server1 that runs Windows Server 2012 R2. Server1 has following hardware configurations:- 16GB of RAM- A single quad-core CPU- Three network teams that have two network adapters each You add additional CPUs and RAM to Server 1. You repurpose Server1 as a virtualization host. You install the Hyper-V server role on Server1. You need to create four external virtual switches in Hyper-V. Which cmdlet should you run first? A. Set-NetAdapter.B. Add-Net1.bfoTeamNicC. Add-VMNetworkAdapterD. Remove-NetLbfoTeam

Answer: D
Explanation: A. Sets adapter propertiesB. Add new interface to NIC TeamC. Adds vadapter to vmD. Removed NIC from host You need 4 virtual switches but currently only have 3 teams available. You would need to break a team first.

[http://technet.microsoft.com/en-us/library/jj130875\(v=wsps.620\).aspx](http://technet.microsoft.com/en-us/library/jj130875(v=wsps.620).aspx)
[http://technet.microsoft.com/en-us/library/jj130850\(v=wsps.620\).aspx](http://technet.microsoft.com/en-us/library/jj130850(v=wsps.620).aspx)
[http://technet.microsoft.com/en-us/library/hh848564\(v=wsps.620\).aspx](http://technet.microsoft.com/en-us/library/hh848564(v=wsps.620).aspx)
[http://technet.microsoft.com/en-us/library/jj130848\(v=wsps.620\).aspx](http://technet.microsoft.com/en-us/library/jj130848(v=wsps.620).aspx) <http://technet.microsoft.com/en-us/library/jj130848.aspx>

QUESTION 96 Your network contains an Active Directory domain named contoso.com. The domain contains two servers that run Windows Server 2012 R2. You create a security template named template 1 by using the Security Templates snap-in. You need to apply Template 1 to Server2. Which tool should you use? A. System ConfigurationB. Local Security PolicyC. Server ManagerD. Certificate Templates

Answer: C
Explanation: The Security Configuration Wizard (SCW) guides you through the process of creating, editing, applying, or rolling back a security policy. You can run SCW from Administrative Tools or ServerManager. Note: * Security templates provide standard security settings to use as a model for your security policies. They help you troubleshoot problems with computers whose security settings are not in compliance with policy or are unknown. Security templates are inactive until imported into a Group Policy object or the Security Configuration and Analysis snap-in to MMC.

QUESTION 97 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server 2012. You create a group Managed Service Account named gservice1. You need to configure a service named Service1 to run as the gservice1 account. How should you configure Service1? A. From a command prompt, run sc.exe and specify the config parameter.B. From Windows PowerShell, run Set-Service and specify the -PassThrough parameterC. From Windows PowerShell, run Set-Service and specify the -StartupType parameterD. From Services Console configure the General settings

Answer: A
QUESTION 98 Your network contains an Active Directory domain named adatum.com. The domain contains a member server named Server1 and a domain controller named DC2. All servers run Windows Server 2012 R2. On DC2, you open Server Manager and you add Server1 as another server to manage. From Server Manager on DC2, you right-click Server1 as shown in the exhibit. You need to ensure that when you right-click Server1, you see the option to run the DHCP console. What should you do? A. On Server1, install the Feature Administration Tools.B. In the domain, add DC1 to the DHCP Administrators group.C. On DC2 and Server1, run winrm quickconfig.D. On DC2, install the Role Administration Tools.

Answer: D
Explanation: <http://technet.microsoft.com/en-us/library/hh831825.aspx> QUESTION 99 Your network contains an Active Directory domain named


contoso.com. An organizational unit (OU) named OU1 contains user accounts and computer accounts. A Group Policy object (GPO) named GP1 is linked to the domain. GP1 contains Computer Configuration settings and User Configuration settings. You need to prevent the User Configuration settings in GP1 from being applied to users. The solution must ensure that the Computer Configuration settings in GP1 are applied to all client computers. What should you configure?

A. the Group Policy loopback processing mode
B. the Block Inheritance feature
C. the Enforced setting
D. the GPO Status

Answer: A

Explanation: A. Group Policy loopback with replace option needs to be used. B. Blocking inheritance prevents Group Policy objects (GPOs) that are linked to higher sites, domains, or organizational units from being automatically inherited by the child-level. C. Enforced prevents blocking at lower level. D. The GPO Status. This indicates whether either the user configuration or computer configuration of the GPO is enabled or disabled. You can use the Group Policy loopback feature to apply Group Policy Objects (GPOs) that depend only on which computer the user logs on to. User Group Policy loopback processing can be enabled in one of two modes: merge or replace. In merge mode, both GPOs applying to the user account and GPOs applying to the computer account are processed when a user logs in. GPOs that apply to the computer account are processed second and therefore take precedence. If a setting is defined in both the GPO(s) applying to the user account, and the GPO(s) applying to the computer account, the setting in the GPO(s) applying to the computer account will be enforced. With the replace mode, GPOs applying to the user account are not processed. Only the GPOs applying to the computer account are applied. Loopback can be set to Not Configured, Enabled, or Disabled. In the Enabled state, loopback can be set to Merge or Replace. In either case the user only receives user-related policy settings. Loopback with Replace--In the case of Loopback with Replace, the GPO list for the user is replaced in its entirety by the GPO list that is already obtained for the computer at computer startup (during step 2 in Group Policy processing and precedence). The User Configuration settings from this list are applied to the user. Loopback with Merge--In the case of Loopback with Merge, the Group Policy object list is a concatenation. The default list of GPOs for the user object is obtained, as normal, but then the list of GPOs for the computer (obtained during computer startup) is appended to this list. Because the computer's GPOs are processed after the user's GPOs, they have precedence if any of the settings conflict. This is a COMPUTER setting, which is found under Computer Configuration | Administrative Templates | System | Group Policy | User Group Policy Loopback Processing Mode. You want to create a new OU in AD that is dedicated to computer accounts that will have loopback processing enabled. Create a new GPO in your new OU to enable User Group Policy Loopback Processing and set the appropriate mode (merge / replace). You will define the user settings you want to apply to the loopback-enabled PCs via GPOs in this same new OU. You can define these settings either in the same GPO where you enabled the User Group Policy Loopback Processing setting, or you create another new GPO in the same OU for your user settings. Remember that when using the REPLACE mode, none of your other user GPOs will be applied when a user logs in to a machine that has loopback processing enabled. ONLY the user settings that are defined in the GPOs that apply to that machine will be applied. <http://msmvps.com/blogs/cgross/archive/2009/10/12/group-policy-loopbackprocessing.aspx> [http://technet.microsoft.com/en-us/library/cc782810\(v=ws.10\).aspx](http://technet.microsoft.com/en-us/library/cc782810(v=ws.10).aspx) <http://technet.microsoft.com/en-us/library/cc731076.aspx> <http://technet.microsoft.com/en-us/library/cc753909.aspx> <http://technet.microsoft.com/en-us/library/cc778238%28v=ws.10%29.aspx> <http://technet.microsoft.com/en-us/magazine/dd673616.aspx>

QUESTION 100 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1. Server1 runs Windows Server 2012 R2 and has the Hyper-V server role installed. On Server1, you create a virtual machine named VM1. When you try to add a RemoteFX 3D Video Adapter to VM1, you discover that the option is unavailable as shown in the following exhibit.



You need to add the RemoteFX 3D Video Adapter to VM1. What should you do first?

A. On Server1, run the Enable-VMRemoteFxPhysicalVideoAdapter cmdlet.
B. On Server1, install the Media Foundation feature.
C. On Server1, run the Add-VMRemoteFx3dVideoAdapter cmdlet.
D. On Server1, install the Remote Desktop Virtualization Host (RD Virtualization Host) role service.

Answer: D

Explanation: A. Enables one or more RemoteFX physical video adapters for use with RemoteFX-enabled virtual machines. B. C. Adds a RemoteFX video adapter in a virtual machine. D. Role must be added for host first. TM is included as part of the Remote Desktop Virtualization Host role service, and it Microsoft RemoteFX enables the delivery of a full Windows user experience to a range of client devices including rich clients, thin clients, and ultrathin clients. RemoteFX renders content by using graphics processing units (GPUs) that are present on the server and then shared across multiple virtual desktops. RemoteFX renders a range of content including DirectX and all types of multimedia, and it is optimized for LAN-based networks. The number of monitors and their maximum resolution determines the amount of GPU memory on the server required by RemoteFX. This consideration is important in determining the scale for how many virtual machines a Remote Desktop Virtualization Host server can support. [http://technet.microsoft.com/en-us/library/hh848506\(v=wps.620\).aspx](http://technet.microsoft.com/en-us/library/hh848506(v=wps.620).aspx) [http://technet.microsoft.com/en-us/library/hh848520\(v=wps.620\).aspx](http://technet.microsoft.com/en-us/library/hh848520(v=wps.620).aspx) [http://technet.microsoft.com/en-us/library/ff817586\(v=ws.10\).aspx](http://technet.microsoft.com/en-us/library/ff817586(v=ws.10).aspx) If you want to pass Microsoft 70-410 successfully, don't miss to read latest lead2pass Microsoft 70-410 dumps. If you can master all lead2pass questions you will be able to pass 100% guaranteed. <http://www.lead2pass.com/70-410.html>