Passed Cisco 350-018 Exam with Pass4sure and Lead2pass PDF & VCE (131-140)

QUESTION 131

The ASA can be configured to drop IPv6 headers with routing-type 0 using the MPF. Choose the correct configuration.

A. policy-map type inspect ipv6 IPv6_PMAP match header routing-type eq 0 drop log B. policy-map type inspect icmpv6 ICMPv6_PMAP match header routing-type eq 0 drop log C. policy-map type inspect ipv6-header HEADER_PMAP match header routing-type eq 0 drop log D. policy-map type inspect http HEADER_PMAP match routing-header 0 drop log E. policy-map type inspect ipv6 IPv6_PMAP match header type 0 drop log F. policy-map type inspect ipv6-header HEADER PMAP match header type 0 drop log

Answer: A

QUESTION 132

Refer to the exhibit. With the client protected by the firewall, an HTTP connection from the client to the server on TCP port 80 will be subject to which action?

This page was exported from - <u>Easily Pass By Training Lead2pass Latest Dumps</u> Export date: Sun Apr 20 21:07:04 2025 / +0000 GMT

Client (inside) ZBFW (outside) Server zone security inside zone security outside interface inside S.COM zone-member security inside interface outside zone-member security outside 6 class-map type inspect match-all HTTP_CMAP match protocol HTTP class-map type inspect match-all TCP CMAP match protocol TCP policy-map type inspect IN-OUT PMAP class type inspect TCP_CMAP inspect class type inspect HTTP_CMAP pass class class-default drop zone-pair IN-OUT_ZP source inside destination outside service-policy type inspect IN-OUT PMAP

- A. inspection action by the HTTP_CMAP
- B. inspection action by the TCP_CMAP
- C. drop action by the default class
- D. inspection action by both the HTTP_CMAP and TCP_CMAP
- E. pass action by the HTTP_CMAP
- F. drop action due to class-map misclassification

Answer: B

QUESTION 133 Which two IPv6 tunnel types support only point-to-point communication? (Choose two.)


- A. manually configured
- B. automatic 6to4
- C. ISATAP
- D. GRE

This page was exported from - <u>Easily Pass By Training Lead2pass Latest Dumps</u> Export date: Sun Apr 20 21:07:04 2025 / +0000 GMT

Answer: AD

QUESTION 134

Refer to the exhibit. Which route will be advertised by the Cisco ASA to its OSPF neighbors?



- A. 10.39.23.0/24
- B. 10.40.29.0/24
- C. 10.66.42.215/32
- D. 10.40.29.0/24

Answer: A

QUESTION 135

Which three options can be configured within the definition of a network object, as introduced in Cisco ASA version 8.3(1)? (Choose three.)

- A. range of IP addresses
- B. subnet of IP addresses
- C. destination IP NAT translation
- D. source IP NAT translation
- E. source and destination FQDNs
- F. port and protocol ranges

Answer: ABD


QUESTION 136 Regarding VSAs, which statement is true?

- A. VSAs may be implemented on any RADIUS server.
- B. VSAs are proprietary, and therefore may only be used on the RADIUS server of that vendor.
- For example, a Cisco VSA may only be used on a Cisco RADIUS server, such as ACS or ISE.
- C. VSAs do not apply to RADIUS; they are a TACACS attribute.
- D. Each VSA is defined in an RFC and is considered to be a standard.

Answer: A

QUESTION 137

Refer to the exhibit. Which statement best describes the problem?



- A. Context vpn1 is not inservice.
- B. There is no gateway that is configured under context vpn1.
- C. The config has not been properly updated for context vpn1.
- D. The gateway that is configured under context vpn1 is not inservice.

Answer: A

QUESTION 138

Which four items may be checked via a Cisco NAC Agent posture assessment? (Choose four.)

- A. Microsoft Windows registry keys
- B. the existence of specific processes in memory
- C. the UUID of an Apple iPad or iPhone
- D. if a service is started on a Windows host
- E. the HTTP User-Agent string of a device
- F. if an Apple iPad or iPhone has been "jail-broken"
- G. if an antivirus application is installed on an Apple MacBook

Answer: ABDG

QUESTION 139

Which three statements are true about the transparent firewall mode in Cisco ASA? (Choose three.)

- A. The firewall is not a routed hop.
- B. The firewall can connect to the same Layer 3 network on its inside and outside interfaces.
- C. Static routes are supported.
- D. PAT and NAT are not supported.
- E. Only one global address per device is supported for management.
- F. SSL VPN is supported for management.

Answer: ABC

QUESTION 140

Which three statements about Cisco IOS RRI are correct? (Choose three.)

- A. RRI is not supported with ipsec-profiles.
- B. Routes are created from ACL entries when they are applied to a static crypto map.

This page was exported from - <u>Easily Pass By Training Lead2pass Latest Dumps</u> Export date: Sun Apr 20 21:07:06 2025 / +0000 GMT

- C. Routes are created from source proxy IDs by the receiver with dynamic crypto maps.
- D. VRF-based routes are supported.
- E. RRI must be configured with DMVPN.

Answer: BCD

If you want to pass Cisco 350-018 successfully, donot missing to read latest lead2pass Cisco 350-018 practice tests. If you can master all lead2pass questions you will able to pass 100% guaranteed.

http://www.lead2pass.com/350-018.html