

Passed Cisco 350-018 Exam with Pass4sure and Lead2pass PDF & VCE (71-80)

QUESTION 71

Which two methods are used for forwarding traffic to the Cisco ScanSafe Web Security service? (Choose two.)

- A. Cisco AnyConnect VPN Client with Web Security and ScanSafe subscription
- B. Cisco ISR G2 Router with SECK9 and ScanSafe subscription
- C. Cisco ASA adaptive security appliance using DNAT policies to forward traffic to ScanSafe subscription servers
- D. Cisco Web Security Appliance with ScanSafe subscription

Answer: BC

QUESTION 72

Which four statements about SeND for IPv6 are correct? (Choose four.)

- A. It protects against rogue RAs.
- B. NDP exchanges are protected by IPsec SAs and provide for anti-replay.
- C. It defines secure extensions for NDP.
- D. It authorizes routers to advertise certain prefixes.
- E. It provides a method for secure default router election on hosts.
- F. Neighbor identity protection is provided by Cryptographically Generated Addresses that are derived from a Diffie-Hellman key exchange.
- G. It is facilitated by the Certification Path Request and Certification Path Response ND messages.

Answer: ACDE

QUESTION 73

What is the recommended network MACSec policy mode for high security deployments?

- A. should-secure
- B. must-not-secure
- C. must-secure
- D. monitor-only
- E. high-impact

Answer: A

QUESTION 74

Which three statements about NetFlow version 9 are correct? (Choose three.)

- A. It is backward-compatible with versions 8 and 5.
- B. Version 9 is dependent on the underlying transport; only UDP is supported.
- C. A version 9 export packet consists of a packet header and flow sets.
- D. Generating and maintaining valid template flow sets requires additional processing.
- E. NetFlow version 9 does not access the NetFlow cache entry directly.

Answer: CDE

QUESTION 75

Which three statements about VXLANs are true? (Choose three.)

- A. It requires that IP protocol 8472 be opened to allow traffic through a firewall.
- B. Layer 2 frames are encapsulated in IP, using a VXLAN ID to identify the source VM.
- C. A VXLAN gateway maps VXLAN IDs to VLAN IDs.
- D. IGMP join messages are sent by new VMs to determine the VXLAN multicast IP.
- E. A VXLAN ID is a 32-bit value.

Answer: BCD

QUESTION 76

Which two identifiers are used by a Cisco Easy VPN Server to reference the correct group policy information for connecting a Cisco Easy VPN Client? (Choose two.)

- A. IKE ID_KEY_ID
- B. OU field in a certificate that is presented by a client
- C. XAUTH username
- D. hash of the OTP that is sent during XAUTH challenge/response
- E. IKE ID_IPV4_ADDR

Answer: AB

QUESTION 77

Which multicast routing mechanism is optimal to support many-to-many multicast applications?

- A. PIM-SM
- B. MOSPF
- C. DVMRP
- D. BIDIR-PIM
- E. MSDP

Answer: D

QUESTION 78

Which three statements regarding VLANs are true? (Choose three.)

- A. To create a new VLAN on a Cisco Catalyst switch, the VLAN name, VLAN ID and VLAN type must all be specifically configured by the administrator.
- B. A VLAN is a broadcast domain.
- C. Each VLAN must have an SVI configured on the Cisco Catalyst switch for it to be operational.
- D. The native VLAN is used for untagged traffic on an 802.1Q trunk.
- E. VLANs can be connected across wide-area networks.

Answer: BDE

QUESTION 79

Which technology, configured on the Cisco ASA, allows Active Directory authentication credentials to be applied automatically to web forms that require authentication for clientless SSL connections?

- A. one-time passwords
- B. certificate authentication
- C. user credentials obtained during authentication
- D. Kerberos authentication

Answer: C

QUESTION 80

In what subnet does address 192.168.23.197/27 reside?

- A. 192.168.23.0
- B. 192.168.23.128
- C. 192.168.23.160
- D. 192.168.23.192
- E. 192.168.23.196

Answer: D

If you want to pass Cisco 350-018 successfully, donot missing to read latest lead2pass Cisco 350-018 dumps.
If you can master all lead2pass questions you will able to pass 100% guaranteed.

<http://www.lead2pass.com/350-018.html>